


## SEQUENCE LISTING

```
SEQ ID NO: 1 is mouse TECK nucleotide sequence.
     SEQ ID NO: 2 is mouse TECK amino acid sequence.
     SEQ ID NO: 3 is human TECK nucleotide sequence.
     SEQ ID NO: 4 is human TECK amino acid sequence.
     SEQ ID NO: 5 is human MIP-3\alpha nucleotide sequence.
     SEQ ID NO: 6 is human MIP-3\alpha amino acid sequence.
10
     SEQ ID NO: 7 is human MIP-3\beta nucleotide sequence.
     SEQ ID NO: 8 is human MIP-3\beta amino acid sequence.
     SEO ID NO: 9 is human DC CR nucleotide sequence.
     SEQ ID NO: 10 is human DC CR amino acid sequence.
     SEQ ID NO: 11 is human M/DC CR nucleotide sequence.
15
     SEQ ID NO: 12 is human M/DC CR amino acid sequence.
     SEQ ID NO: 13 is human CCKR1 amino acid sequence.
     SEQ ID NO: 14 is human CCKR2 amino acid sequence.
     SEQ ID NO: 15 is human CCKR3 amino acid sequence.
     SEQ ID NO: 16 is human CCKR4 amino acid sequence.
20
     SEQ ID NO: 17 is HPRT sense primer.
     SEQ ID NO: 18 is HPRT antisense primer.
     SEQ ID NO: 19 is FLAG epitope tag sequence.
25
     (1) GENERAL INFORMATION:
           (i) APPLICANT: Wang, Wei
                          Gish, Kurt C.
                          Schall, Thomas J.
                          Vicari, Alain P.
30
                          Zlotnik, Albert
          (ii) TITLE OF INVENTION: MAMMALIAN CHEMOKINE REAGENTS
35
        (iii) NUMBER OF SEQUENCES: 19
         (iv) CORRESPONDENCE ADDRESS:
                (A) ADDRESSEE: DNAX Research Institute
                (B) STREET: 901 California Avenue
40
                (C) CITY: Palo Alto
                (D) STATE: California
                (E) COUNTRY: USA
                (F) ZIP: 94304-1104
45
          (v) COMPUTER READABLE FORM:
                (A) MEDIUM TYPE: Floppy disk
                (B) COMPUTER: IBM PC compatible
                (C) OPERATING SYSTEM: PC-DOS/MS-DOS
                (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
50
          (vi) CURRENT APPLICATION DATA:
                (A) APPLICATION NUMBER:
                (B) FILING DATE:
                (C) CLASSIFICATION:
55
         (vii) PRIOR APPLICATION DATA:
                (A) APPLICATION NUMBER: US 08/675,814
                (B) FILING DATE: 05-JUL-1996
```

provisional filings DX0589P, DX0589P1; DX0589P2

various



5	(viii)	(A) (B)	NEY/AGE NAME: C REGISTR REFEREN	hing,	Edwin NUMBE	P. R: 34	1,090 R: DX	) {0589	9Q1					
10	(ix)	(A)	COMMUNIC TELEPHO TELEFAX	NE: 41	5-852	-9196	ON:							
	(2) INFO	RMATIC	ON FOR S	SEQ ID	NO:1:									
15	(i)	(A) (B) (C)	ENCE CHA LENGTH: TYPE: r STRANDA TOPOLOG	: 1034 nucleic EDNESS:	base acid sing	pair	S							
20	(ii)	MOLE	CULE TY	PE: cDN	IA									
25	(ix)		URE: NAME/KI LOCATIO											
	(xi)	SEQUI	ENCE DE	SCRIPT:	ON: S	SEQ I	D NO	:1:						
30	AGGCTACA	AAG CA	GGCACCA	G CTCT	CAGGAC	CAG	AAAG	GCA	TTGG	TGGC	CC C	СТТА	AACCT	60
	TCAGGTA	TCT GG.	AGAGGAG.	A TCTA	ACCTTO	C ACT	ATG Met	Lys	. CTG Leu	TGG Trp	CTT Leu 5	Phe	GCC Ala	114
35	TGC CTG Cys Leu	GTT G Val A 10	CC TGT la Cys	TTT GT Phe Va	r GGG l Gly 15	GCC Ala	TGG Trp	ATG Met	CCG Pro	GTT Val 20	GTC Val	CAT His	GCC Ala	162
40	CAA GGT Gln Gly 25	Ala P	TT GAA he Glu	Asp Cy	s Cys	CTG Leu	GGT Gly	TAC Tyr	CAG Gln 35	CAC His	AGG Arg	ATC Ile	AAA Lys	210
45	TGG AAT Trp Asn	GTT C	CTC CGG Leu Arg	CAT GC His Al 45	T AGG a Arg	AAT Asn	TAT Tyr	CAC His 50	CAG Gln	CAG Gln	GAA Glu	GTG Val	AGT Ser 55	258
50	GGA AGC Gly Ser	TGC A	AAC CTA Asn Leu 60	CGT GC Arg Al	T GTG a Val	AGA Arg	TTC Phe 65	TAC Tyr	TTC Phe	CGC Arg	CAG Gln	AAA Lys 70	GTA Val	306
	GTG TGT Val Cys	GGG A	AAT CCA Asn Pro 75	GAG GA Glu As	C ATG p Met	AAT Asn 80	GTG Val	AAG Lys	AGG Arg	GCG Ala	ATA Ile 85	AGA Arg	ATC Ile	354
55	TTG ACA	GCT A Ala A	AGG AAA Arg Lys	AGG CT	'A GTC u Val 95	His	TGG Trp	AAG Lys	AGC Ser	GCC Ala 100	TCA Ser	GAC Asp	TCT Ser	402
60	CAG ACT	GAA A	AGG AAG	AAG TO	A AAC	CAT	ATG	AAG	TCC	AAG	GTG	GAG	AAC	450

WANG,	et	ā

	Gln Thr Glu Arg Lys Lys Ser Asn His Met Lys Ser Lys Val Glu Asn 105 110 115	
5	CCC AAC AGT ACA AGC GTG AGG AGT GCC ACC CTA GGT CAT CCC AGG ATG Pro Asn Ser Thr Ser Val Arg Ser Ala Thr Leu Gly His Pro Arg Met 120 125 130 135	498
10	GTG ATG ATG CCC AGA AAG ACC AAC AAT TAAGTTAATT ACTCAGAGTA Val Met Met Pro Arg Lys Thr Asn Asn 140	545
	AGCACCAGCT GGAGGATGGG CGGAGTCTGC TGAAGTGCTG TCTTCTAGGC ATGCCAGTGC	605
	CAATGAACTC ACTGAAGCTA CAGTTTCCTG TACAAGACCA GACCCACCAA CGTCTCAGCA	665
15	TGTACGAGGA AGGAACTACT GCGCTAAAGG CCCTCCCACT CACCAAGGAG CTATTGGCTA	725
	TTGATGATTG CTGAGGGAAG GGAGTAATTT TTTTTCTCTT TCTGAAGTGT GACTTGAGTA	785
20	AATTGCCCAT AGTTCAGTAT ATAATCCCCA ACCTGTGCTC AGGCAAGCAA CCCTAATTAA	845
	ATGCAATAGC CACATACAAA AGAAGAGGAT ATGAATAGTT TGGTAGGAGG GGCTTGTTAG	905
٦٢	GAAGAAGACA TTAACAGGAG AGAGAGGAGC GAGAGGATAG TGAGTGTGTG AGAGTGCCTG	965
25	CACGTGTGAA ATGGTCAAAG AATTAAAAAA TAAAAACTTA AAAAGCTATT AAAAAGTAAA	1025
	АААААТААА	1034
30	(2) INFORMATION FOR SEQ ID NO:2:	
35	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 144 amino acids</li><li>(B) TYPE: amino acid</li><li>(D) TOPOLOGY: linear</li></ul>	
	(ii) MOLECULE TYPE: protein	
40	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:	
	Met Lys Leu Trp Leu Phe Ala Cys Leu Val Ala Cys Phe Val Gly Ala 1 5 10 15	
45	Trp Met Pro Val Val His Ala Gln Gly Ala Phe Glu Asp Cys Cys Leu 20 25 30	
50	Gly Tyr Gln His Arg Ile Lys Trp Asn Val Leu Arg His Ala Arg Asn 35 40 45	
30	Tyr His Gln Gln Glu Val Ser Gly Ser Cys Asn Leu Arg Ala Val Arg 50 55 60	
55	Phe Tyr Phe Arg Gln Lys Val Val Cys Gly Asn Pro Glu Asp Met Asn 65 70 75 80	
	Val Lys Arg Ala Ile Arg Ile Leu Thr Ala Arg Lys Arg Leu Val His 85 90 95	
60	Trp Lys Ser Ala Ser Asp Ser Gln Thr Glu Arg Lys Lys Ser Asn His	

DX0589Q1

110

110 WANG, et a

105

Met Lys Ser Lys Val Glu Asn Pro Asn Ser Thr Ser Val Arg Ser Ala 120

Thr Leu Gly His Pro Arg Met Val Met Met Pro Arg Lys Thr Asn Asn 135

## (2) INFORMATION FOR SEQ ID NO:3: 10

100

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1012 base pairs
  - (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: cDNA

20

55

15

5

- (ix) FEATURE:
  - (A) NAME/KEY: CDS
  - (B) LOCATION: 117..566
- 25 (ix) FEATURE:
  - (A) NAME/KEY: mat\_peptide
  - (B) LOCATION: 186..566
- 30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:


	TCGACCC	ACG (	CGTCC	CGCTI	rg go	CTAC	CAGCC	CGC	GCGGC	SCAT	CAGO	CTCC	CTT (	GACCC	'AG'I'GG	60
35	ATATCGG	TGG (	cccc	TTAT	T CO	GTCC <i>I</i>	AGGTO	G CCC	CAGGC	GAGG	AGGA	ACCC	GCC .	rgcac	SC	116
35	ATG AAC Met Asn -23															164
40	TGG GCC Trp Ala															212
45	GCC TAC															260

TAC CGG ATC CAG GAG GTG AGC GGG AGC TGC AAT CTG CCT GCT GCG ATA 308 Tyr Arg Ile Gln Glu Val Ser Gly Ser Cys Asn Leu Pro Ala Ala Ile 50 30

TTC TAC CTC CCC AAG AGA CAC AGG AAG GTG TGT GGG AAC CCC AAA AGC 356 Phe Tyr Leu Pro Lys Arg His Arg Lys Val Cys Gly Asn Pro Lys Ser 45

AGG GAG GTG CAG AGA GCC ATG AAG CTC CTG GAT GCT CGA AAT AAG GTT 404 Arg Glu Val Gln Arg Ala Met Lys Leu Leu Asp Ala Arg Asn Lys Val 60

452 TTT GCA AAG CTC CAC CAC AAC ATG CAG ACC TTC CAA GCA GGC CCT CAT 60



	Phe Ala Lys Leu His His Asn Met Gln Thr Phe Gln Ala Gly Pro His 75 80 85	
5	GCT GTA AAG AAG TTG AGT TCT GGA AAC TCC AAG TTA TCA TCA TCC AAG Ala Val Lys Lys Leu Ser Ser Gly Asn Ser Lys Leu Ser Ser Ser Lys 95	500
10	TTT AGC AAT CCC ATC AGC AGC AGC AAG AGG AAT GTC TCC CTC CTG ATA Phe Ser Asn Pro Ile Ser Ser Ser Lys Arg Asn Val Ser Leu Leu Ile 110 115 120	548
	TCA GCT AAT TCA GGA CTG TGAGCCGGCT CATTTCTGGG CTCCATCGGC Ser Ala Asn Ser Gly Leu 125	596
15	ACAGGAGGG CCGGATCTTT CTCCGATAAA ACCGTCGCCC TACAGACCCA GCTGTCCCCA	656
	CGCCTCTGTC TTTTGGGTCA AGTCTTAATC CCTGCACCTG AGTTGGTCCT CCCTCTGCAC	716
20	CCCCACCACC TCCTGCCCGT CTGGCAACTG GAAAGAAGGA GTTGGCCTGA TTTTAACCTT	776
	TTGCCGCTCC GGGGAACAGC ACAATCCTGG GCAGCCAGTG GCTCTTGTAG AGAAAACTTA	836
	GGATACCTCT CTCACTTTCT GTTTCTTGCC GTCCACCCCG GGCCATGCCA GTGTGTCCTC	896
25	TGGGTCCCCT CCAAAAATCT GGTCATTCAA GGATCCCCTC CCAAGGCTAT GCTTTTCTAT	956
	AACTTTTAAA TAAACCTTGG GGGGTGAATG GAATAAAAAA AAAAAAAAA AAAAAAA	1012
30	(2) INFORMATION FOR SEQ ID NO:4:	
35	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 150 amino acids</li><li>(B) TYPE: amino acid</li><li>(D) TOPOLOGY: linear</li></ul>	
	(ii) MOLECULE TYPE: protein	
40	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:	
	Met Asn Leu Trp Leu Leu Ala Cys Leu Val Ala Gly Phe Leu Gly Ala -23 -20 -15 -10	
45	Trp Ala Pro Ala Val His Thr Gln Gly Val Phe Glu Asp Cys Cys Leu -5 1 5	
50	Ala Tyr His Tyr Pro Ile Gly Trp Ala Val Leu Arg Arg Ala Trp Thr 10 15 20 25	
50	Tyr Arg Ile Gln Glu Val Ser Gly Ser Cys Asn Leu Pro Ala Ala Ile 30 35 40	
55	Phe Tyr Leu Pro Lys Arg His Arg Lys Val Cys Gly Asn Pro Lys Ser 45 50 55	
	Arg Glu Val Gln Arg Ala Met Lys Leu Leu Asp Ala Arg Asn Lys Val 60 65 70	
60	Phe Ala Lys Leu His His Asn Met Gln Thr Phe Gln Ala Gly Pro His	


112		DX0589Q1
-----	--	----------

		75					80					85						
_	Ala 90	Val	Lys	Lys	Leu	Ser 95	Ser	Gly	Asn	Ser	Lys 100	Leu	Ser	Ser	Ser	Lys 105		
5	Phe	Ser	Asn	Pro	Ile 110	Ser	Ser	Ser	Lys	Arg 115	Asn	Val	Ser	Leu	Leu 120	Ile		
10	Ser	Ala	Asn	Ser 125	Gly	Leu												
	(2)	INFO	RMAT	NOI	FOR	SEQ	ID N	10:5	:									
15		(i)	( A ( E	A) LE B) TY C) SI	CE CHENGTH PE: PRANI	i: 80 nucl DEDNI	)1 ba leic ESS:	ase p acid sing	oair: 1	6								
20		(ii)	MOI	LECUI	E TY	PE:	cDN2	A										
25		(ix)	•	A) NA	E: AME/F DCATI			288		•	•							
30		•	( I	A) NA B) LO	E: AME/H DCATI DE DI	ON:	79.	.288		ID N	D:5:							
	1 ma			•					_			mmc.	N TUC	mc x	GTG	CTC		48
35	Met	Cys -25	Cys	Thr	Lys	Ser	Leu -20	Leu	Leu	Ala	Ala	Leu -15	Met	Ser	Val	Leu		40
40															GAC Asp 5			96
45															GTG Val			144
13															ATC Ile			192
50															CAG Gln			240
55															AAC Asn			288
	TAA	AAAC'	TGT (	GGCT'	TTTC'	TG G.	AATG(	GAAT	T GG	ACAT	AGCC	CAA	GAAC	AGA .	AAGA.	ACCTT	G	348

CTGGGGTTGG AGGTTTCACT TGCACATCAT GGAGGGTTTA GTGCTTATCT AATTTGTGCC

408

WANG, et



	TO THE COURT OF TH	468
	TCACTGGACT TGTCCAATTA ATGAAGTTGA TTCATATTGC ATCATAGTTT GCTTTGTTTA	
	AGCATCACAT TAAAGTTAAA CTGTATTTTA TGTTATTTAT AGCTGTAGGT TTTCTGTGTT	528
5	TAGCTATTTA ATACTAATTT TCCATAAGCT ATTTTGGTTT AGTGCAAAGT ATAAAATTAT	588
	ATTTGGGGGG GAATAAGATT ATATGGACTT TTTTGCAAGC AACAAGCTAT TTTTTAAAAA	648
10	AAACTATTTA ACATTCTTTT GTTTATATTG TTTTTGTCTCC TAAATTGTTG TAATTGCATT	708
	ATAAAATAAG AAAAATATTA ATAAGACAAA TATTGAAAAT AAAGAAACAA AAAGTTAAAA	768
15	AAAAAAAAA AAAAAAAAA AAAAAAAAA	801
	(2) INFORMATION FOR SEQ ID NO:6:	
20	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 96 amino acids</li><li>(B) TYPE: amino acid</li><li>(D) TOPOLOGY: linear</li></ul>	
	(ii) MOLECULE TYPE: protein	
25	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:	
	Met Cys Cys Thr Lys Ser Leu Leu Leu Ala Ala Leu Met Ser Val Leu -26 -25 -20 -15	
30	Leu Leu His Leu Cys Gly Glu Ser Glu Ala Ala Ser Asn Phe Asp Cys -10 -5 1 5	
35	Cys Leu Gly Tyr Thr Asp Arg Ile Leu His Pro Lys Phe Ile Val Gly 10 15 20	
	Phe Thr Arg Gln Leu Ala Asn Glu Gly Cys Asp Ile Asn Ala Ile Ile 25 30 35	
40	Phe His Thr Lys Lys Lys Leu Ser Val Cys Ala Asn Pro Lys Gln Thr 40 45 50	
45	Trp Val Lys Tyr Ile Val Arg Leu Leu Ser Lys Lys Val Lys Asn Met 55 60 65 70	
	(2) INFORMATION FOR SEQ ID NO:7:	
50	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 699 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
55	(ii) MOLECULE TYPE: cDNA	
60	(ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 142435	

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:	
5	GGCACGAGCG GCACGAGCAT CACTCACACC TTGCATTTCA CCCCTGCATC CCAGTCGCCC	60
	TGCAGCCTCA CACAGATCCT GCACACACC AGACAGCTGG CGCTCACACA TTCACCGTTG	120
10	GCCTGCCTCT GTTCACCCTC C ATG GCC CTG CTA CTG GCC CTC AGC CTG CTG  Met Ala Leu Leu Leu Ala Leu Ser Leu Leu  1 5 10	171
15	GTT CTC TGG ACT TCC CCA GCC CCA ACT CTG AGT GGC ACC AAT GAT GCT Val Leu Trp Thr Ser Pro Ala Pro Thr Leu Ser Gly Thr Asn Asp Ala 15 20 25	219
	GAA GAC TGC TGC CTG TCT GTG ACC CAG AAA CCC ATC CCT GGG TAC ATC Glu Asp Cys Cys Leu Ser Val Thr Gln Lys Pro Ile Pro Gly Tyr Ile 30 35 40	267
20	GTG AGG AAC TTC CAC TAC CTT CTC ATC AAG GAT GGC TGC AGG GTG CCT Val Arg Asn Phe His Tyr Leu Leu Ile Lys Asp Gly Cys Arg Val Pro 45	315
25	GCT GTA GTG TTC ACC ACA CTG AGG GGC CGC CAG CTC TGT GCA CCC CCA Ala Val Val Phe Thr Thr Leu Arg Gly Arg Gln Leu Cys Ala Pro Pro 60 65 70	363
30	GAC CAG CCC TGG GTA GAA CGC ATC ATC CAG AGA CTG CAG AGG ACC TCA Asp Gln Pro Trp Val Glu Arg Ile Ile Gln Arg Leu Gln Arg Thr Ser 75 80 85 90	411
35	GCC AAG ATG AAG CGC CGC AGC AGT TAACCTATGA CCGTGCAGAG GGAGCCCGGA Ala Lys Met Lys Arg Arg Ser Ser 95	465
	GTCCGAGTCA AGCATTGTGA ATTATTACCT AACCTGGGGA ACCGAGGACC AGAAGGAAGG	525
4.0	ACCAGGCTTC CAGCTCCTCT GCACCAGACC TGACCAGCCA GGACAGGGCC TGGGGTGTGT	585
40	GTGAGTGTGA GTGTGAGCGA GAGGGTGAGT GTGGTCTAGA GTAAAGCTGC TCCACCCCCA	645
	GATTGCAATG CTACCAATAA AGCCGCCTGG TGTTTACAAC TAAAAAAAAA AAAA	699
45	(2) INFORMATION FOR SEQ ID NO:8:	
50	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 98 amino acids</li><li>(B) TYPE: amino acid</li><li>(D) TOPOLOGY: linear</li></ul>	
	(ii) MOLECULE TYPE: protein	
55	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:	
	Met Ala Leu Leu Leu Ala Leu Ser Leu Leu Val Leu Trp Thr Ser Pro 1 5 10 15	

Ala Pro Thr Leu Ser Gly Thr Asn Asp Ala Glu Asp Cys Cys Leu Ser

WANG, et

25 30 20 Val Thr Gln Lys Pro Ile Pro Gly Tyr Ile Val Arg Asn Phe His Tyr 40 5 Leu Leu Ile Lys Asp Gly Cys Arg Val Pro Ala Val Val Phe Thr Thr Leu Arg Gly Arg Gln Leu Cys Ala Pro Pro Asp Gln Pro Trp Val Glu 10 Arg Ile Ile Gln Arg Leu Gln Arg Thr Ser Ala Lys Met Lys Arg Arg 15 Ser Ser (2) INFORMATION FOR SEQ ID NO:9: 20 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1119 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 25 (ii) MOLECULE TYPE: cDNA (ix) FEATURE: 30 (A) NAME/KEY: CDS (B) LOCATION: 1..1095 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9: 35 48 ATG TTT TCG ACT CCA GTG AAG ATT ATT TTG TGT CAG TCA ATA CTT CAT Met Phe Ser Thr Pro Val Lys Ile Ile Leu Cys Gln Ser Ile Leu His ATT ACT CAG TTG ATT CTG AGA TGT TAC TGT GCT CCT TGC AGG AGG TCA 96 40 Ile Thr Gln Leu Ile Leu Arg Cys Tyr Cys Ala Pro Cys Arg Arg Ser 25 GGC AGT TCT CCA GGC TAT TTG TAC CGA ATT GCC TAC TCC TTG ATC TGT 144 Gly Ser Ser Pro Gly Tyr Leu Tyr Arg Ile Ala Tyr Ser Leu Ile Cys 45 GTT CTT GGC CTC CTG GGG AAT ATT CTG GTG GTG ATC ACC TTT GCT TTT 192 Val Leu Gly Leu Leu Gly Asn Ile Leu Val Val Ile Thr Phe Ala Phe 50 50 TAT AAG AAG GCC AGG TCT ATG ACA GAC GTC TAT CTC TTG AAC ATG GCC 240 Tyr Lys Lys Ala Arg Ser Met Thr Asp Val Tyr Leu Leu Asn Met Ala 55 288 ATT GCA GAC ATC CTC TTT GTT CTT ACT CTC CCA TTC TGG GCA GTG AGT Ile Ala Asp Ile Leu Phe Val Leu Thr Leu Pro Phe Trp Ala Val Ser

CAT GCC ACT GGT GCG TGG GTT TTC AGC AAT GCC ACG TGC AAG TTG CTA

	His	Ala	Thr	Gly 100	Ala	Trp	Val	Phe	Ser 105	Asn	Ala	Thr	Суѕ	Lys 110	Leu	Leu		
5															CTG Leu		3	884
10															AAG Lys		4	132
15															TGC Cys		4	180
13	GTT Val	GTG Val	TGG Trp	GGG Gly	CTG Leu 165	TCA Ser	GTC Val	ATC Ile	ATC Ile	TCC Ser 170	AGC Ser	TCA Ser	ACT Thr	TTT Phe	GTC Val 175	TTC Phe	Ć	528
20															AAG Lys		į	576
25															GGG Gly		•	624
30															TTT Phe		(	672
35															AAA Lys		•	720
J.J.															CTG Leu 255		,	768
40	TGT Cys	CAG Gln	ATT Ile	CCT Pro 260	CAT His	AAC Asn	ATG Met	GTC Val	CTG Leu 265	CTT Leu	GTG Val	ACG Thr	GCT Ala	GCT Ala 270	AAT Asn	TTG Leu	,	816
45															TAT Tyr			864
50															AAC Asn			912
55															CTG Leu			960
,,						Trp					Lys				TCA Ser 335		1	800
60	TTC	TCC	TGT	GCC	GGG	AGG	TAC	TCA	GAA	AAC	ATT	TCT	CGG	CAG	ACC	AGT	1	056

Phe Ser Cys Ala Gly Arg Tyr Ser Glu Asn Ile Ser Arg Gln Thr Ser 340 345 GAG ACC GCA GAT AAC GAC AAT GCG TCG TCC TTC ACT ATG TGATAGAAAG 1105 5 Glu Thr Ala Asp Asn Asp Asn Ala Ser Ser Phe Thr Met 1119 CTGAGTCTCC CTAA 10 (2) INFORMATION FOR SEQ ID NO:10: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 365 amino acids 15 (B) TYPE: amino acid (D) TOPOLOGY: linear (ii) MOLECULE TYPE: protein 20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10: Met Phe Ser Thr Pro Val Lys Ile Ile Leu Cys Gln Ser Ile Leu His 25 Ile Thr Gln Leu Ile Leu Arg Cys Tyr Cys Ala Pro Cys Arg Arg Ser Gly Ser Ser Pro Gly Tyr Leu Tyr Arg Ile Ala Tyr Ser Leu Ile Cys 30 Val Leu Gly Leu Leu Gly Asn Ile Leu Val Val Ile Thr Phe Ala Phe Tyr Lys Lys Ala Arg Ser Met Thr Asp Val Tyr Leu Leu Asn Met Ala 35 Ile Ala Asp Ile Leu Phe Val Leu Thr Leu Pro Phe Trp Ala Val Ser 90 40 His Ala Thr Gly Ala Trp Val Phe Ser Asn Ala Thr Cys Lys Leu Leu Lys Gly Ile Tyr Ala Ile Asn Phe Asn Cys Gly Met Leu Leu Thr 45 Cys Ile Ser Met Asp Arg Tyr Ile Ala Ile Val Gln Ala Thr Lys Ser 130 . Phe Arg Leu Arg Ser Arg Thr Leu Pro Arg Ser Lys Ile Ile Cys Leu 50 155 Val Val Trp Gly Leu Ser Val Ile Ile Ser Ser Ser Thr Phe Val Phe 165 170 55 Asn Gln Lys Tyr Asn Thr Gln Gly Ser Asp Val Cys Glu Pro Lys Tyr Gln Thr Val Ser Glu Pro Ile Arg Trp Lys Leu Leu Met Leu Gly Leu

	Glu	Leu 210	Leu	Phe	Gly	Phe	Phe 215	Ile	Pro	Leu	Met	Phe 220	Met	Ile	Phe	Cys		
5	Tyr 225	Thr	Phe	Ile	Val	Lys 230	Thr	Leu	Val	Gln	Ala 235	Gln	Asn	Ser	Lys	Arg 240		
	His	Lys	Ala	Ile	Arg 245	Val	Ile	Ile	Ala	Val 250	Val	Leu	Val	Phe	Leu 255	Ala		
10	Cys	Gln	Ile	Pro 260	His	Asn	Met	Val	Leu 265	Leu	Val	Thr	Ala	Ala 270	Asn	Leu		
15	Gly	Lys	Met 275	Asn	Arg	Ser	Cys	Gln 280	Ser	Glu	Lys	Leu	Ile 285	Gly	Tyr	Thr		
13	Lys	Thr 290	Val	Thr	Glu	Val	Leu 295	Ala	Phe	Leu	His	Cys 300	Cys	Leu	Asn	Pro		
20	Val 305	Leu	Tyr	Ala	Phe	Ile 310	Gly	Gln	Lys	Phe	Arg 315	Asn	Tyr	Phe	Leu	Lys 320		
	Ile	Leu	Lys	Asp	Leu 325	Trp	Cys	Val	Arg	Arg 330	Lys	Tyr	Lys	Ser	Ser 335	Gly		
25	Phe	Ser	Cys	Ala 340	Gly	Arg	Tyr	Ser	Glu 345	Asn	Ile	Ser	Arg	Gln 350	Thr	Ser		
30	Glu	Thr	Ala 355	Asp	Asn	Asp	Asn	Ala 360	Ser	Ser	Phe	Thr	Met 365					
30	(2)	INF	ORMA'	rion	FOR	SEQ	ID I	NO:1	1:									
35		(i	() ()	A) L1 B) T' C) S'	ENGTI YPE : TRANI	HARAG H: 1! nuc DEDN:	547 : leic ESS:	base acio sino	pai: d	rs								
40		(ii	) <b>M</b> O	LECU:	LE T	YPE:	cDN.	A										
45		(ix	(,		AME/	KEY: ION:		.111	6									
43		(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:11	:						
50	GAG	GAAG	CTG	CTTC(	GGGG	GG T	GAGC	AAAC'	т тт	ТТАА	AATG	CAG	AAAT	Me		C TAC e Tyr	5′	7
55													Tyr			GCA Ala	10	5
60		Glu					Val					Glu				GAT Asp 35	15	3

						GAC Asp											201
5						TGC Cys											249
10						CTT Leu											297
15						CTT Leu											345
20						TTC Phe 105											393
20						CTG Leu											441
25						ACT Thr											489
30						GCC Ala											537
35						GTA Val											585
40						CAG Gln 185											633
10	AGC Ser	AGA Arg	ACT Thr	CCC Pro	TTC Phe 200	CTG Leu	CCA Pro	GCT Ala	GAT Asp	GAG Glu 205	ACA Thr	TTC Phe	TGG Trp	AAG Lys	CAT His 210	TTT Phe	681
45						AAC Asn											729
50						GTG Val			Arg								777
55	CAG Gln	AGG Arg 245	Tyr	AGC Ser	CTT Leu	TTC Phe	AAG Lys 250	CTT Leu	GTT Val	TTT Phe	GCC Ala	GTA Val 255	Met	GTA Val	GTC Val	TTC Phe	825
60		Leu				CCC Pro 265						Phe					873

WANG, et 120 DX0589Q1

	AAA GAA CAC TTC TCC CTG AGT GAC TGC AAG AGC AGC TAC AAT CTG GAC Lys Glu His Phe Ser Leu Ser Asp Cys Lys Ser Ser Tyr Asn Leu Asp 280 285 290	921										
5	AAA AGT GTT CAC ATC ACT AAA CTC ATC GCC ACC ACC CAC TGC TGC ATC Lys Ser Val His Ile Thr Lys Leu Ile Ala Thr Thr His Cys Cys Ile 295	969										
10	AAC CCT CTC CTG TAT GCG TTT CTT GAT GGG ACA TTT AGC AAA TAC CTC Asn Pro Leu Leu Tyr Ala Phe Leu Asp Gly Thr Phe Ser Lys Tyr Leu 310	1017										
15	TGC CGC TGT TTC CAT CTG CGT AGT AAC ACC CCA CTT CAA CCC AGG GGG Cys Arg Cys Phe His Leu Arg Ser Asn Thr Pro Leu Gln Pro Arg Gly 325	1065										
20	CAG TCT GCA CAA GGC ACA TCG AGG GAA GAA CCT GAC CAT TCC ACC GAA GIn Ser Ala Gln Gly Thr Ser Arg Glu Glu Pro Asp His Ser Thr Glu 340 345 350 355	1113										
20	GTG TAAACTAGCA TCCACCAAAT GCAAGAAGAA TAAACATGGA TTTTCATCTT Val	1166										
25	TCTGCATTAT TTCATGTAAA TTTTCTACAC ATTTGTATAC AAAATCGGAT ACAGGAAGAA	1226										
	AAGGGAGAG TGAGCTAACA TTTGCTAAGC ACTGAATTTG TCTCAGGCAC CGTGCAAGGC	1286										
	TCTTTACAAA CGTGAGCTCC TTCGCCTCCT ACCACTTGTC CATAGTGTGG ATAGGACTAG											
30	TCTCATTTCT CTGAGAAGAA AACTAAGGCG CGGAAATTTG TCTAAGATCA CATAACTAGG	1406										
	AAGTGGCAGA ACTGATTCTC CAGCCCTGGT AGCATTTGCT CAGAGCCTAC GCTTGGTCCA	1466										
35	GAACATCAAA CTCCAAACCC TGGGGACAAA CGACATGAAA TAAATGTATT TTAAAACATA	1526										
	TAAAAAAA AAAAAAAAA A	1547										
40	(2) INFORMATION FOR SEQ ID NO:12:											
	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 356 amino acids</li></ul>											
45	(B) TYPE: amino acid (D) TOPOLOGY: linear											
40	(ii) MOLECULE TYPE: protein											
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:											
50	Met Ile Tyr Thr Arg Phe Leu Lys Gly Ser Leu Lys Met Ala Asn Tyr											
	1 5 10 15											
55	Thr Leu Ala Pro Glu Asp Glu Tyr Asp Val Leu Ile Glu Gly Glu Leu 20 25 30											
	Glu Ser Asp Glu Ala Glu Gln Cys Asp Lys Tyr Asp Ala Gln Ala Leu 35 40 45											
60	Ser Ala Gln Leu Val Pro Ser Leu Cys Ser Ala Val Phe Val Ile Gly											

55 60 50 Val Leu Asp Asn Leu Leu Val Val Leu Ile Leu Val Lys Tyr Lys Gly 5 Leu Lys Arg Val Glu Asn Ile Tyr Leu Leu Asn Leu Ala Val Ser Asn Leu Cys Phe Leu Leu Thr Leu Pro Phe Trp Ala His Ala Gly Gly Asp 10 Pro Met Cys Lys Ile Leu Ile Gly Leu Tyr Phe Val Gly Leu Tyr Ser 115 120 Glu Thr Phe Phe Asn Cys Leu Leu Thr Val Gln Arg Tyr Leu Val Phe 15 135 Leu His Lys Gly Asn Phe Phe Ser Ala Arg Arg Arg Val Pro Cys Gly 150 155 20 Ile Ile Thr Ser Val Leu Ala Trp Val Thr Ala Ile Leu Ala Thr Leu 170 Pro Glu Phe Val Val Tyr Lys Pro Gln Met Glu Asp Gln Lys Tyr Lys 25 Cys Ala Phe Ser Arg Thr Pro Phe Leu Pro Ala Asp Glu Thr Phe Trp 200 Lys His Phe Leu Thr Leu Lys Met Asn Ile Ser Val Leu Val Leu Pro 30 215 Leu Phe Ile Phe Thr Phe Leu Tyr Val Gln Met Arg Lys Thr Leu Arg 230 235 35 Phe Arg Glu Gln Arg Tyr Ser Leu Phe Lys Leu Val Phe Ala Val Met Val Val Phe Leu Leu Met Trp Ala Pro Tyr Asn Ile Ala Phe Phe Leu 40 265 Ser Thr Phe Lys Glu His Phe Ser Leu Ser Asp Cys Lys Ser Ser Tyr 280 275 Asn Leu Asp Lys Ser Val His Ile Thr Lys Leu Ile Ala Thr Thr His 45

Cys Cys Ile Asn Pro Leu Leu Tyr Ala Phe Leu Asp Gly Thr Phe Ser


Lys Tyr Leu Cys Arg Cys Phe His Leu Arg Ser Asn Thr Pro Leu Gln

Pro Arg Gly Gln Ser Ala Gln Gly Thr Ser Arg Glu Glu Pro Asp His 55 345

Ser Thr Glu Val

50

60 (2) INFORMATION FOR SEQ ID NO:13:




5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 355 amino acids</li> <li>(B) TYPE: amino acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>
	(ii) MOLECULE TYPE: protein
10	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:
15	Met Glu Thr Pro Asn Thr Thr Glu Asp Tyr Asp Thr Thr Thr Glu Phe  10 15
	Asp Tyr Gly Asp Ala Thr Pro Cys Gln Lys Val Asn Glu Arg Ala Phe 25
20	Gly Ala Gln Leu Leu Pro Pro Leu Tyr Ser Leu Val Phe Val Ile Gly 45
25	Leu Val Gly Asn Ile Leu Val Val Leu Val Leu Val Gln Tyr Lys Arg 50 50
	Leu Lys Asn Met Thr Ser Ile Tyr Leu Leu Asn Leu Ala Ile Ser Asp  75  70
30	Leu Leu Phe Leu Phe Thr Leu Pro Phe Trp Ile Asp Tyr Lys Leu Lys  85  85
	Asp Asp Trp Val Phe Gly Asp Ala Met Cys Lys Ile Leu Ser Gly Phe 100 100
35	Tyr Tyr Thr Gly Leu Tyr Ser Glu Ile Phe Phe Ile Ile Leu Leu Thr 125
4.0	Ile Asp Arg Tyr Leu Ala Ile Val His Ala Val Phe Ala Leu Arg Ala 130 135
40	Arg Thr Val Thr Phe Gly Val Ile Thr Ser Ile Ile Ile Trp Ala Leu 160 145
45	Ala Ile Leu Ala Ser Met Pro Gly Leu Tyr Phe Ser Lys Thr Gln Trp 175
	Glu Phe Thr His His Thr Cys Ser Leu His Phe Pro His Glu Ser Leu 180 185
50	Arg Glu Trp Lys Leu Phe Gln Ala Leu Lys Leu Asn Leu Phe Gly Leu 195 200 205
55	Val Leu Pro Leu Leu Val Met Ile Ile Cys Tyr Thr Gly Ile Ile Lys
رر	Ile Leu Leu Arg Arg Pro Asn Glu Lys Lys Ser Lys Ala Val Arg Leu 240
60	Ile Phe Val Ile Met Ile Ile Phe Phe Leu Phe Trp Thr Pro Tyr Asn

MANG	123 DXU589Q1
WANG	250
	2.4.5
	Leu Thr Ile Leu Ile Ser Val Phe Gln Asp Phe Leu Phe Thr His Glu 270 260
5	Cys Glu Gln Ser Arg His Leu Asp Leu Ala Val Gln Val Thr Glu Val 285 275
10	Ile Ala Tyr Thr His Cys Cys Val Asn Pro Val Ile Tyr Ala Phe Val 290 290 297
	Gly Glu Arg Phe Arg Lys Tyr Leu Arg Gln Leu Phe His Arg Arg Val 320 305
15	Ala Val His Leu Val Lys Trp Leu Pro Phe Leu Ser Val Asp Arg Leu 335 325
	Glu Arg Val Ser Ser Thr Ser Pro Ser Thr Gly Glu His Glu Leu Ser 340
20	Ala Gly Phe 355
(2)	INFORMATION FOR SEQ ID NO:14:
25	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 374 amino acids  (B) TYPE: amino acid
30	(C) STRANDEDNESS: single (D) TOPOLOGY: linear
	(ii) MOLECULE TYPE: protein
35	14.
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:  Met Leu Ser Thr Ser Arg Ser Arg Phe Ile Arg Asn Thr Asn Glu Ser  15
40	,
	Gly Glu Glu Val Thr Thr Phe Phe Asp Tyr Asp Tyr Gly Ala Pro Cys 30 20
45	His Lys Phe Asp Val Lys Gln Ile Gly Ala Gln Leu Leu Pro Pro Leu 45 35
	Tyr Ser Leu Val Phe Ile Phe Gly Phe Val Gly Asn Met Leu Val Val 50 50
50	Leu Ile Leu Ile Asn Cys Lys Lys Leu Lys Cys Leu Thr Asp Ile Tyr  80 75 65
55	Leu Leu Asn Leu Ala Ile Ser Asp Leu Leu Phe Leu Ile Thr Leu Pro 95 85
,,,	Leu Trp Ala His Ser Ala Ala Asn Glu Trp Val Phe Gly Asn Ala Met 100 100 100
60	Cys Lys Leu Phe Thr Gly Leu Tyr His Ile Gly Tyr Phe Gly Gly Ile

WANG, et a

				115					120					125			
5		Phe	Phe 130	Ile	Ile	Leu	Leu	Thr 135	Ile	Asp	Arg	Tyr	Leu 140	Ala	Ile	Val	His
5		Ala 145	Val	Phe	Ala	Leu	Lys 150	Ala	Arg	Thr	Val	Thr 155	Phe	Gly	Val	Val	Thr 160
10		Ser	Val	Ile	Thr	Trp 165	Leu	Val	Ala	Val	Phe 170	Ala	Ser	Val	Pro	Gly 175	Ile
		Ile	Phe	Thr	Lys 180	Cys	Gln	Lys	Glu	Asp 185	Ser	Val	Tyr	Val	Cys 190	Gly	Pro
15		Tyr	Phe	Pro 195	Arg	Gly	Trp	Asn	Asn 200	Phe	His	Thr	Ile	Met 205	Arg	Asn	Ile
20		Leu	Gly 210	Leu	Val	Leu	Pro	Leu 215	Leu	Ile	Met	Val	Ile 220	Cys	Tyr	Ser	Gly
20		Ile 225	Leu	Lys	Thr	Leu	Leu 230	Arg	Cys	Arg	Asn	Glu 235	Lys	Lys	Arg	His	Arg 240
25		Ala	Val	Arg	Val	Ile 245	Phe	Thr	Ile	Met	Ile 250	Val	Tyr	Phe	Leu	Phe 255	Trp
		Thr	Pro	Tyr	Asn 260	Ile	Val	Ile	Leu	Leu 265	Asn	Thr	Phe	Gln	Glu 270	Phe	Phe
30		Gly	Leu	Ser 275	Asn	Cys	Glu	Ser	Thr 280	Ser	Gln	Leu	Asp	Gln 285	Ala	Thr	Gln
35		Val	Thr 290	Glu	Thr	Leu	Gly	Met 295	Thr	His	Cys	Cys	Ile 300	Asn	Pro	Ile	Ile
33		Туr 305	Ala	Phe	Val	Gly	Glu 310	Lys	Phe	Arg	Ser	Leu 315	Phe	His	Ile	Ala	Leu 320
40		Gly	Cys	Arg	Ile	Ala 325	Pro	Leu	Gln	Lys	Pro 330	Val	Cys	Gly	Gly	Pro 335	Gly
		Val	Arg	Pro	Gly 340	Lys	Asn	Val	Lys	Val 345	Thr	Thr	Gln	Gly	Leu 350	Leu	Asp
45		Gly	Arg	Gly 355	Lys	Gly	Lys	Ser	Ile 360	Gly	Arg	Ala	Pro	Glu 365	Ala	Ser	Leu
50		Gln	Asp 370	Lys	Glu	Gly	Ala										
50	(2) INFORMATION FOR SEQ ID NO:15:																
55	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 355 amino acids</li><li>(B) TYPE: amino acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>																

(ii) MOLECULE TYPE: protein



	WANG, e	t						12	6						DΣ	<b>K</b> 0589
		290					295					300				
F	Gly 305	Glu	Arg	Phe	Arg	Lys 310	Tyr	Leu	Arg	His	Phe 315	Phe	His	Arg	His	Leu 320
5	Leu	Met	His	Leu	Gly 325	Arg	Tyr	Ile	Pro	Phe 330	Leu	Pro	Ser	Glu	Lys 335	Leu
10	Glu	Arg	Thr	Ser 340	Ser	Val	Ser	Pro	Ser 345	Thr	Ala	Glu	Pro	Glu 350	Leu	Ser
	Ile	Val	Phe 355													
15	(2) INFO	RMAT	ION I	FOR S	SEQ :	ID N	0:16	:								
20	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 360 amino acids</li> <li>(B) TYPE: amino acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>															
	(ii)	MOL	ECULI	ε· ΤΥΙ	PE: ]	prote	ein									
25																
	/ <del>-</del> : \	CEO	(IENIC)	ים מ	CODI	יחדריי	NI. CI	- TI	o No	.16.						
2.0		SEQ									T	) an	C1	Cox	Tlo	The same
30	met 1	Asn	Pro	Thr	Asp 5	11e	Ala	Asp	THE	10	Leu	Asp	GIU	ser	15	TYL
25	Ser	Asn	Tyr	Tyr 20	Leu	Tyr	Glu	Ser	Ile 25	Pro	Lys	Pro	Cys	Thr 30	Lys	Glu
35	Gly	Ile	Lys 35	Ala	Phe	Gly	Glu	Leu 40	Phe	Leu	Pro	Pro	Leu 45	Tyr	Ser	Leu
40	Val	Phe 50	Val	Phe	Gly	Leu	Leu 55	Gly	Asn	Ser	Val	Val 60	Val	Leu	Val	Leu
	Phe 65	Lys	Tyr	Lys	Arg	Leu 70	Arg	Ser	Met	Thr	Asp 75	Val	Tyr	Leu	Leu	Asn 80
45	Leu	Ala	Ile	Ser	Asp 85	Leu	Leu	Phe	Val	Phe 90	Ser	Leu	Pro	Phe	Trp 95	Gly
	Туг	Tyr	Ala	Ala	Asp	Gln	Trp	Val	Phe	Gly	Leu	Gly	Leu	Cys	Lys	Met

Ile Ser Trp Met Tyr Leu Val Gly Phe Tyr Ser Gly Ile Phe Phe Val

Met Leu Met Ser Ile Asp Arg Tyr Leu Ala Ile Val His Ala Val Phe

Ser Leu Arg Ala Arg Thr Leu Thr Tyr Gly Val Ile Thr Ser Leu Ala

Thr Trp Ser Val Ala Val Phe Ala Ser Leu Pro Gly Phe Leu Phe Ser

DX0589Q1 127 WANG, et

						165					170					1/5	
	T	hr	Cys	Tyr	Thr 180	Glu	Arg	Asn	His	Thr 185	Tyr	Cys	Lys	Thr	Lys 190	Tyr	Ser
5	L	eu	Asn	Ser 195	Thr	Thr	Trp	Lys	Val 200	Leu	Ser	Ser	Leu	Glu 205	Ile	Asn	Ile
10	L	eu	Gly 210	Leu	Val	Ile	Pro	Leu 215	Gly	Ile	Met	Leu	Phe 220	Cys	Tyr	Ser	Met
		1e	Ile	Arg	Thr	Leu	Gln 230	His	Cys	Lys	Asn	Glu 235	Lys	Lys	Asn	Lys	Ala 240
15	V	/al	Lys	Met	Ile	Phe 245	Ala	Val	Val	Val	Leu 250	Phe	Leu	Gly	Phe	Trp 255	Thr
	I	Pro	Tyr	Asn	Ile 260	Val	Leu	Phe	Leu	Glu 265	Thr	Leu	Val	Glu	Leu 270	Glu	Val
20	I	Leu	Gln	Asp 275	Cys	Thr	Phe	Glu	Arg 280	Tyr	Leu	Asp	Tyr	Ala 285	Ile	Gln	Ala
25	r	Thr	Glu 290		Leu	Ala	Phe	Val 295	His	Суѕ	Cys	Leu	300	Pro	Ile	Ile	Tyr
		Phe 305		. Leu	Gly	Glu	Lys 310	Ph∈	e Arg	Lys	s Tyr	: Il∈ 315	Leu S	Gln	Leu	Ph∈	20 Lys
30		Thr	- Cys	arç	g Gly	7 Let 325	Phe	e Val	L Leu	Cys	330	тут )	Cys	s Gly	Leu	335	Gln
		Ile	• Туз	s Sei	Ala 340	a Asp	Th:	Pro	o Sei	Set 34!	r Sei 5	r Tyi	r Thi	c Glr	350	Thi	Met
35		Asp	) His	s As <sub>1</sub>		ı Hi:	s Asp	Ala	a Let 360	1 )							
	(2)	INFO	ORMA'	TION	FOR	SEQ	ID 1	NO:1	7:								
40			) SE (	QUEN A) L	CE C ENGT	HARA H: 2	CTER 3 ba	ISTI se p	CS: airs								
45			(	c) s	TRAN	nuc DEDN OGY:	ESS:	sin	a gle								
		(ii	) MC	LECU	LE T	YPE:	cDN	Ά									
50					ioe -	NECC*	ייחית די	·ON·	SEO	י חד	vo : 15	7:					
								.OIN:	کبیک	10 1	NO:17	-					
55	GTAA																
55	(2)	INF	ORM	OITA	4 FO	R SE	Q ID	NO:	18:								

23

60

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 24 base pairs

(B) TYPE: nucleic acid

		~
	<pre>(C) STRANDEDNESS: single (D) TOPOLOGY: linear</pre>	
5	(ii) MOLECULE TYPE: cDNA	
10	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:	
	CCAGCAAGCT TGCAACCTTA ACCA	24
	(2) INFORMATION FOR SEQ ID NO:19:	
15	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 9 amino acids</li><li>(B) TYPE: amino acid</li><li>(C) STRANDEDNESS: single</li></ul>	
20	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: peptide	
25	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:	
	Asp Tvr Lys Asp Asp Asp Lys Leu	